Camry 2024 2.0GVP Deluxe Edition

| Basic information | | Fuel label | Number 92. |
|---|--|--|---|
| Manufacturer | Guangzhou Automobile Toyota | Oil supply mode | Mixed injection |
| Level | Medium-sized car | Cylinder head material | Aluminum alloy |
| Energy type | Petrol | Cylinder block material | Aluminum alloy |
| Environmental protection standard | National VI | Environmental protection standard | National VI |
| Time to market | 2024.03 | Electric motor | |
| Maximum Power (kW) | 127 CAR | Gearbox | C AP |
| Maximum torque (N m) | 206 | Number of blocks | Stepless transmission |
| Engine | 2.0L 173 horsepower L4 | Gearbox type | Continuously variable |
| Gearbox | CVT stepless transmission | | transmission (CVT) |
| Length * width * height (mm) | 4915*1840*1450 | Chassis / wheel | 9. |
| Body structure | 4-door, 5-seater sedan | Driving mode | Front front drive |
| Maximum speed (km/h) | 205 | Front suspension type | McPherson independent |
| WLTC Comprehensive fuel | 5.81 | | suspension |
| Car body | | Rear suspension type | double wishbone independent |
| Length (mm) | 4915 | | suspension |
| Width (mm) | 1840 | assist type | Electric power assist |
| Height (mm) | 1450 | body structure | load-bearing |
| Wheelbase (mm) | 2825 | Front brake type | ventilation disc |
| Front wheel track(mm) | 1590 | Rear brake type | Disc type |
| Rear wheel track(mm) | 1600 | Parking brake type | electronic parking |
| Approach angle (°) | 13 | Front tire specification | 215/55 R17 |
| Departure angle (°) | 16 | Rear tire specification | 215/55 R17 |
| Minimum turning radius (m) | 5.7 | brake specification | Non-full size |
| De du etuneture | 0 - 4 | Coourity configuration | |
| Body structure | Sedan | Security configuration | |
| Door opening mode | Open the door flat | Driver/passenger airbag | • Driver |
| , | | | DriverPassenger |
| Door opening mode | Open the door flat | | |
| Door opening mode Number of doors (units) | Open the door flat | Driver/passenger airbag | Passenger |
| Door opening mode Number of doors (units) Number of seats (unit) | Open the door flat 4 5 | Driver/passenger airbag | PassengerFront Row |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) | Open the door flat 4 5 | Driver/passenger airbag Front/rear side airbags | PassengerFront RowRear Row |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) | Open the door flat 4 5 | Driver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain | PassengerFront RowRear RowFront Row |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine | Open the door flat 4 5 60 1555 | Driver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) | PassengerFront RowRear RowFront RowRear Row |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model | Open the door flat 4 5 60 1555 | Driver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) | Open the door flat 4 5 60 1555 M20C 1987 | Driver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) | Open the door flat 4 5 60 1555 M20C 1987 2.0 | Driver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display Front row |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation | Driver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display Front row |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L | Driver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display Front row Mechanical gear shift |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position | Driver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout Number of cylinders (pieces) | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position 4 | Driver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system Auxiliary driving level | Passenger Front Row Rear Row Front Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise L2 |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout Number of cylinders (pieces) Number of valves per cylinder | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position 4 4 | Priver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system Auxiliary driving level Auxiliary driving system | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise L2 Toyota Safety Sense |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout Number of cylinders (pieces) Number of valves per cylinder Compression ratio | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position 4 4 13 | Priver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system Auxiliary driving level Auxiliary driving system Driving assist image | Passenger Front Row Rear Row Front Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise L2 Toyota Safety Sense Reversing image |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout Number of cylinders (pieces) Number of valves per cylinder Compression ratio Gas distribution mechanism | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position 4 4 13 DOHC | Priver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system Auxiliary driving level Auxiliary driving system Driving assist image Number of cameras | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise L2 Toyota Safety Sense Reversing image 2 |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout Number of cylinders (pieces) Number of valves per cylinder Compression ratio Gas distribution mechanism Maximum horsepower (Ps) | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position 4 4 13 DOHC 173 | Priver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system Auxiliary driving level Auxiliary driving system Driving assist image Number of cameras | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise L2 Toyota Safety Sense Reversing image 2 Front Row |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout Number of cylinders (pieces) Number of valves per cylinder Compression ratio Gas distribution mechanism Maximum horsepower (Ps) Maximum Power (kW) | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position 4 4 13 DOHC 173 | Priver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system Auxiliary driving level Auxiliary driving system Driving assist image Number of cameras Front / rear parking radar | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise L2 Toyota Safety Sense Reversing image 2 Front Row Rear Row |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout Number of cylinders (pieces) Number of valves per cylinder Compression ratio Gas distribution mechanism Maximum horsepower (Ps) Maximum Power (kW) Maximum power speed (rpm) Maximum torque (N m) | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position 4 4 13 DOHC 173 127 6600 | Priver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system Auxiliary driving level Auxiliary driving system Driving assist image Number of cameras Front / rear parking radar | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise L2 Toyota Safety Sense Reversing image 2 Front Row Rear Row |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout Number of cylinders (pieces) Number of valves per cylinder Compression ratio Gas distribution mechanism Maximum horsepower (Ps) Maximum Power (kW) Maximum power speed (rpm) | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position 4 4 13 DOHC 173 127 6600 206 | Priver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system Auxiliary driving level Auxiliary driving system Driving assist image Number of cameras Front / rear parking radar Number of millimeter wave radars Appearance configuration | Passenger Front Row Rear Row Front Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise L2 Toyota Safety Sense Reversing image 2 Front Row Rear Row 1 |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout Number of cylinders (pieces) Number of valves per cylinder Compression ratio Gas distribution mechanism Maximum horsepower (Ps) Maximum Power (kW) Maximum torque (N m) Maximum torque speed (rpm) Maximum net Power (kW) | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position 4 4 13 DOHC 173 127 6600 206 4600-5000 | Priver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system Auxiliary driving level Auxiliary driving system Driving assist image Number of cameras Front / rear parking radar Number of millimeter wave radars Appearance configuration Sunroof type | Passenger Front Row Rear Row Front Row Rear Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise L2 Toyota Safety Sense Reversing image 2 Front Row Rear Row 1 Electric Sunroof |
| Door opening mode Number of doors (units) Number of seats (unit) Fuel tank capacity (L) Quality of equipment (kg) Engine Engine model Displacement (mL) Displacement (L) Intake form Cylinder arrangement form Engine layout Number of cylinders (pieces) Number of valves per cylinder Compression ratio Gas distribution mechanism Maximum horsepower (Ps) Maximum Power (kW) Maximum power speed (rpm) Maximum torque (N m) Maximum torque speed (rpm) | Open the door flat 4 5 60 1555 M20C 1987 2.0 Natural inhalation L Horizontal position 4 4 13 DOHC 173 127 6600 206 4600-5000 127 | Priver/passenger airbag Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Seat belt unfastened reminder Control configuration Shift form Auxiliary / intelligent driving Cruise system Auxiliary driving level Auxiliary driving system Driving assist image Number of cameras Front / rear parking radar Number of millimeter wave radars Appearance configuration Sunroof type key type | Passenger Front Row Rear Row Front Row Tire pressure display Front row Mechanical gear shift Full speed adaptive cruise L2 Toyota Safety Sense Reversing image 2 Front Row Rear Row 1 Electric Sunroof remote key |

MBDHabbana-եսգրոտեցալանա desophlayylook page 1 up display

| Driving computer display screen | • Color | | ● Front passenger + lighting |
|----------------------------------|--|-----------------------------------|--|
| LCD meter size | • 7 in. | Inner rearview mirror function | Manual anti-glare |
| Steering wheel material | Dermis | Smart Internet | Or Ch. |
| Steering wheel position | Manual up and down + front and | Central control color LCD screen | Touch LCD screen |
| adjustment | rear adjustment | LCD screen size | ● 10.25 in. |
| Seat configuration | | Mobile phone interconnection / | Support for CarPlay |
| Seat material | • Imitation leather | mapping | Support for CarLife |
| Driver's seat adjustment method | Waist support (2 directions) | | Support for HiCar |
| | ● High and low adjustment (4 | APP Remote Control | Door control |
| | directions) | | Air conditioning control |
| | Backrest adjustment | | Vehicle condition inquiry / |
| | Front and rear adjustment | | diagnosis |
| Adjustment mode of Passenger | Backrest adjustment | | Vehicle location / car search |
| seat | Front and rear adjustment | | Window control |
| Driver / passenger seat electric | • Driver | | Vehicle start |
| adjustment | Passenger | | Car owner service (find charging |
| Back seat down form | Proportional toppling | | piles, gas stations, parking lots, |
| Front / rear central handrail | ● Front Row | | etc.) |
| | Rear Row | | • Scheduled maintenance / repair |
| Lighting configuration | CAR | Audio-visual entertainment | AR. |
| Low light source | • LED | Multimedia / charging interface | ● Type-C |
| High beam light source | • LED | Number of USB/Type-C Interfac | • Front row 3 / rear row 2 |
| Interior ambient lamp | Monochromatic | | • 2 in the front / 2 in the back |
| Glass / rearview mirror | | Wireless charging function of | • Front row |
| Exterior mirror function | Lock the car and fold | Wireless charging power of mobile | ● 15W |
| | automatically | Number of speakers | • 6 loudspeakers |
| | Electric folding | Air conditioner Prefrigerator | |
| | • rear view mirror heating | Air conditioning temperature | Automatic air conditioning |
| | Electric regulation | remarks | |
| Inductive wiper function | • rain sensing | *** | *** |
| Front/rear power windows | • Front Row | *** | *** OKCE |
| | Rear Row | *** | *** |
| Window up and down function with | • The whole car | *** | *** (1) |
| Multilayer soundproof glass | The whole car | *** | *** |
| | Main driver + lights | | |
| | | | |

Appearance (8⁰







Interior decoration

















Space

















remarks:

standard

 \bigcirc optional

— no

DIBONCAR DIBONCAR DIBONC DIBONCAR DIBONCAR DIBONC